
Aura-LiTe

Rainwater Haversting





MODERN LINE

EXCLUSIVE LINE

CLASSIC INE

BASIC LINE



Rainwater harvesting in style

GRAF – Setting standards in quality





There's a stylish tank to suit all tastes

Choose your tank from more than 60 sizes, shapes and colours

MODERN LINE

Trendy and modern design

Page 6



EXCLUSIVE LINE

For the highest quality standards

Page 12



CLASSIC LINE

Decorative rainwater tanks

Page 20



BASIC LINE

Essential for outstanding water quality and convenient use

Page 34



Guaranteed GRAF quality









UV-STABLE

Plastic tanks are protected against sunlight to ensure a long product life. The impact of UV light is reduced to a minimum.

WEATHER-RESISTANT

A rainwater tank is exposed to weather conditions and extreme temperature fluctuations. Materials adapted to these conditions ensure a long-lasting attractive appearance.

THREADED CONNECTION

A standard 19 mm (3/4") thread connection makes the tap (accessories) easy to install without drilling. Using a tap or the GRAF Universal Hose Kit (accessories), water extraction couldn't be easier.

Downpipe filter and Accessories

Page 40









MODERN LINE

Color 2in1 water tank 350 l/92 US gallons

 Height 150 cm | Ø above 62 cm

 ø below 50 cm | Weight 15 kg

 apple
 order no. 326100

 lemon
 order no. 326101

 tomato
 order no. 326102

 cassis
 order no. 326103

 lavender
 order no. 326104

 coco
 order no. 326105




- 2 functions: rainwater storage and decoration
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)















- 2 functions: rainwater storage and decoration
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)

Stone 2in1 water tank 350 l/92 US gallons

Height 150 cm | ø above 62 cm ø below 50 cm | Weight 15 kg silver order no. 326140 lava order no. 326141





Antique amphora | Antique wall amphora | Antique plant amphora









EXCLUSIVE LINE

Antique amphora 250 l/66 US gallons

ø max. 70 cm | Width above handles 79 cm Height 108 cm | Weight 15 kg terracotta order no. 211601

sandstone order no. 211605 **darkgranite** order no. 211609

Antique amphora 600 l/158 US gallons

ø max. 92 cm | Width above handles 104 cm Height 142 cm | Weight 30 kg

terracotta order no. 211612 sandstone order no. 211613 darkgranite order no. 211614

Antique wall amphora 260 l/69 US gallons

Width 88 cm | Depth 54 cm | Height 120 cm Weight 20 kg

terracotta order no. 211603 sandstone order no. 211607 darkgranite order no. 211611

Antique amphora 360 l/95 US gallons

ø max. 78 cm | Width above handles 88 cm

Height 120 cm | Weight 20 kg terracotta order no. 211602 sandstone order no. 211606 darkgranite order no. 211610



Antique plant amphora

Can be used for decoration or simply as a planter

Width 59 cm | Height 80 cm
ø max. 52 cm | Weight 7 kg
terracotta order no. 211600
sandstone darkgranite order no. 211608

- Integrated plant cup for an individual design.
- Each tank is unique due to the special production process.
- The water tank includes two high-quality brass threads.
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)









EXCLUSIVE LINE

Woody wall tank
350 l / 92 US gallons
Width 124 cm | Depth 40 cm
Height 100 cm | Weight 40 kg
darkwood order no. 212200
lightwood order no. 212201

- Each tank is unique due to the special production process.
- The water tank includes three high-quality brass threads.
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)





Sunda wall tank

Rainwater collector in a modern wicker finish

Sunda wall tank 300 l/79 US gallons Width 80 cm | Depth 40 cm Height 118 cm | Weight 15 kg mocca order no. 212100









Rocky wall tank

Rainwater collector in lifelike stone look







EXCLUSIVE LINE

Rocky wall tank 400 l/105 US gallons Width 120 cm | Depth 40 cm Height 100 cm | Weight 40 kg darkgranite order no. 326130 redstone order no. 326131 sandstone order no. 326132



- Each tank is unique due to the special production process.
- The water tank includes two high-quality brass threads.
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)



Rainwater amphora | Rainwater wall amphora Mediterranean-style rainwater storage tank







CLASSIC LINE



Rainwater amphora
300 l/79 US gallons
ø max. 68 cm | Height 129 cm
ø cover opening 18 cm | Weight 12 kg
terracotta order no. 211701
sand order no. 211703

Rainwater amphora
500 l/132 US gallons
ø max. 79 cm Height 150 cm
ø cover opening 18 cm | Weight 17 kg
terracotta order no. 211702
sand order no. 211704

Rainwater wall amphora 350 l/92 US gallons Width 79 cm | Depth 55 cm Height 150 cm | Ø cover opening 18 cm Weight 21 kg terracotta order no. 211705



Column tank | Column wall tank

Elegant and space-saving

Column tank 330 l/87 US gallons ø max. 59 cm | Height 161 cm

ø cover opening 18 cm | Weight 14 kg sand beige order no. 326530 stone grey order no. 326531

Column tank 500 l/132 US gallons

ø max. 73 cm | Height 193 cm ø cover opening 18 cm | Weight 25 kg sand beige order no. 326510 stone grey order no. 326512

Column tank

1.000 l/264 US gallons ø max. 91 cm | Height 222 cm ø cover opening 18 cm | Weight 44 kg sand beige order no. 326505 stone grey order no. 326506

Column tank 2.000 l/528 US gallons

ø max. 118 cm | Height 223 cm ø cover opening 18 cm Weight 75 kg sand beige order no. 326540



TIP

Regendieb Pro grey, order no. 344202 For details please see page 41





350 l/92 US gallons Width 73 cm | Depth 48 cm Height 193 cm | Ø cover opening 18 cm Weight 25 kg sand beige order no. 326526

Column wall tank 550 l/145 US gallons

stone grey order no. 326520

Width 88 cm | Depth 52 cm Height 212 cm | ø cover opening 18 cm Weight 37 kg sand beige order no. 326521







2in1 water tank with plant cup


The modern way of dual-function











order no. 326116

taupe

Design Chrome tap 3/4"
Order no. 330254
For details please see page 45

Integrated plant cup for an

Integrated plant cup for an individual design.











CLASSIC LINE

Barrica rain barrel 260 l/68 US gallons ø max. 65 cm | Height 93 cm Weight 9,5 kg brown order no. 212130



- Rainwater tank shaped like a rustic wooden barrel.
- Removable lid with child-proof lock.
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 45)











Elegance wall tank
400 l/105 US gallons
Width 60 cm | Depth 60 cm
Height 180 cm | Weight 18 kg
stone grey order no. 212301
sand beige order no. 212302





Terranova wall tank Simple stucco-optic Rain collector Rapido downpipe filter with filter insert. Order no. 503070 For details please see page 40 Terranova wall tank 275 l/72 US gallons Width 80 cm | Depth 40 cm Height 105 cm | Weight 13 kg graphite grey order no. 212120



Water extraction and stone fountains

Practical and stylish



Granit water extraction unit Height 100 cm | Column 13 x 13 cm Base 25 x 25 cm | Weight 5 kg dark granite order no. 356025 light graniteorder no. 356026

- Including chrome water tap 19 mm (3/4").
- Option of connecting from below using 19 mm (3/4") hose connection.
- Simple installtion holes already in base.
- Particularly UV-stable and weather-resistant





Rondo water extraction unit ø Column 12 cm | Base 19 cm Height 90 cm | Weight 3 kg stone grey order no. 356021



Wood water extraction unit Height 100 cm | Column 13 x 13 cm Base 25 x 25 cm | Weight 5 kg dark wood order no. 356030 light wood order no. 356031





Stone fountain Venezia
Height 90 cm | Width 44 cm | Depth 52 cm
Height basin 15 cm | Weight 8 kg
light granite order no. 356100
red stone order no. 356102



TIP

Ideal as an additional extraction point for rainwater harvesting systems

- Includes 19 mm (3/4") nostalgic tap for conveniently accessing water.
- Options for connecting from below using 19 mm (3/4") hose connection.
- Particularly UV-stable and weatherresistant
- Pre-assembled and ready for connection



Stone fountain Roma

Height 100 cm | Width 54 cm | Depth 54 cm Height basin 25 cm | Weight 10 kg light granite order no. 356101 red stone order no. 356103









Water butt Toskana

Inclusive lid, drain tap and child protection

Capacity	Capacity	Ø max.	Height	terracotta
[l]	[US gallons]	[cm]	[cm]	order no.
300	79	82	86	500216

Water butt stand



suitable for	suitable for	Height	terracotta
[l]	[US gallons]	[cm]	order no.
300	79	33	





Square water butt

inclusive lid and drain tap

Capacity [l]	Capacity [US gallons]			Height [cm]	dark green order no.
203 ⁽¹⁾	53	70	70	82	501205
300 ⁽²⁾	79	80	66	92	501206
520 ⁽²⁾	137	124	80	93	501207

⁽¹⁾ Without metal bracing

Water butt stand



⁽²⁾ Including metal bracing for increased stability





Square water butt heavy version inclusive lid and drain tap

Capacity [l]	Capacity [US gallons]	Width [cm]	Depth [cm]	Height [cm]	dark green order no.
210	81	81	63	69	501201
400	96	96	75	84	501202
650	126	126	100	87	501203

Water butt Sahara

inclusive lid and drain tap

Capacity [l]	Capacity [US gallons]	Width [cm]	Depth [cm]	Height [cm]	Sand beige order no.
300	79	80	66	91	501209
520	137	125	80	93	501208

Stand for water butt Sahara

suitable for [l]	suitable for [US gallons]	Height [cm]	Brown order no.
300	79	33	502008
520	137	33	502009



Top-tank | Garden-tank | Garden-tank Classico









Top-tank 1.300 l/343 US gallons ø max. 118 cm | Height 156 cm Weight 30 kg dark green order no. 323001

- Reasonably priced solution for above-ground rainwater harvesting
- Extremely stable
- Can be extended in any way
- Preformed connections: 2 x DN 70, 2 x DN 100 and 1 x DN 200 suitable for standard high-temperature wastewater pipes

Garden-tank 500 l/132 US gallons Width 88 cm | Depth 72 cm Height 108 cm | Ø Lid 38 cm Weight 23 kg dark green order no. 326022

Garden-tank 750 l/198 US gallons Width 88 cm | Depth 72 cm Height 161 cm | Ø Lid 38 cm Weight 39 kg dark green order no. 326010

Garden-tank 1.000 l/264 US gallons Width 105 cm | Depth 77 cm Height 174 cm | Ø Lid 38 cm Weight 52 kg dark green order no. 326011

Garden-tank Classico 650 l/171 US gallons Width 80 cm | Depth 60 cm Height 192 cm | Ø Lid 18 cm Weight 28 kg dark green order no. 326030

Garden-tank Classico
1.300 l/343 US gallons
Set consists of 2 x 650 l tank, including connection kit
Width 165 cm | Depth 60 cm
Height 192 cm | Ø Lid 18 cm
Weight 56 kg
dark green order no. 326035

Accessory Top-tank Extention set DN 70

Consisting of 2 special seals (without drill and connecting pipe) order no. 322010

Suction fitting 1" without hose | afloat order no. 330054

Drill DN 70 with mounting shank order no. 202002

Garden-tank 2.000 l/528 US gallons

Set consists of 2 x 1.000 l tank, including connection kit dark green order no. 326015

- Suited for garden and cellar installation.
- Can be extended in any way.
- Convenient cleaning thanks to large cover 38 cm.
- Cover with child-proof lock.
- Transparent universal hose kit, can also be used as level indicator.

Garden-tank Classico 2.600 l/686 US gallons

Set consists of 4 x 650 l tank, including connection kit

Width 335 cm | Depth 60 cm

Height 192 cm | Ø Lid 18 cm

Weight 112 kg

dark green order no. 326036

- Suited for garden and cellar installation.
- Can be extended in any way.
- 3/4" inner thread for simple fitting of the tap

Connection made easy:

Installation and connection of a GRAF decorative tank

DOWNPIPE FILTER

Downpipe filters reliably filter dirt from rainwater, thus ensuring optimal water quality. The water butt cannot overflow due to an overflow stop. The excess water simply flows back into the downpipe. In the winter, the inlet to the rainwater tank is easy to stop.

The downpipe filter ensures optimal water quality





The water butt fills up automatically and overflowing of the full water butt is prevented.



Easy switching from summer to winter use.





Downpipe filter

Page 40



The ground must be level for the installation of a tank.



The downpipe is connected using a downpipe filter.



A hole is drilled in the tank for the installation of the inlet seal.





Tank accessories

Page 45

DRAIN TAP

Water extraction is made extremely convenient by the GRAF tap (accessories). It is screwed into the tank's standard thread connection without the need for drilling.



The GRAF universal hose kit (accessories) provides an additional extraction option. It is used to leverage the tank's full volume, and also as a fill level indicator. The hose kit (accessories) is either screwed into the tank's convenient connection or mounted on to the tank using a drill and a seal.





The integrated plant cup enables an individual design.



Your decorative tank is now perfectly installed and connected.





You will find the video on our website www.graf-water.com

Rain collector **Speedy** and Rapido

The installation champions



- No removal of the downpipe for the installation
- Distance between downpipe and wall is irrelevant
- Downpipe sizes 70 100 mm (DN 70 | DN 100)
- Including core drill, connecting hose, connection seal

Rain collector Rapido Height 9 cm | ø 6 cm Order no. 503070





















Overview downpipe filter







Quattro Twist



Quattro

• 50 m²
19 mm (³/₄")
8 mm
•
plastic sieve



Regendieb Pro

The slim version for big roof areas

Regendieb Pro

Height 25,5 cm | ø 13 cm grey order no. 344202 brown order no. 344203

- New filter principle with greater filter area
- Slim design only 16 mm distance between downpipe and outside wall
- Turnable filter body for flexible connection
- Downpipe sizes 70 100 mm
- Including connection seal

























Filling device Page 43



Foliage guard Page 13

70-100 mm	70-100 mm	70-100 mm	70-100 mm	70-100 mm	70-100 mm
•	•	•	•	•	
200 m²	100 m²	80 m²	80 m²	50 m²	80 m²
DN 50, 32 mm (1 1/4")	DN 70 DN 50, 32 mm (1 1/4")	DN 70 DN 50, 32 mm (1 1/4")	32 mm (1 ½")	25 mm (1")	-
16 mm	38 mm	25 mm	25 mm	16 mm	5 mm
•	•	•	•	•	•
stainless steel sieve	stainless steel sieve	stainless steel sieve	plastic sieve	plastic sieve	plastic sieve

Regendieb de luxe | Regendieb

Regendieb de luxe

Height 30 cm | Ø 17,5 cm **grey** order no. 344104 **brown** order no. 344105

- Stainless steel sieve
- High water yield (approx. 90%)
- Downpipe sizes 70 100 mm (DN 70 | DN 100)
- Including connection seal














Regendieb

Height 25 cm | Width 15 cm | Depth 20 cm grey order no. 343011 brown order no. 343010

- Stainless steel sieve
- Downpipe sizes 70 100 mm (DN 70 | DN 100)
- Including connection seal













GRAF

Filling device | Filling device de luxe Foliage guard

Filling device

Height 11,5 cm | Ø 13 cm **grey** order no. 503011 **brown** order no. 503010

- Downpipe sizes 70 100 mm (DN 70 | DN 100)
- 25 mm (1") side outlet, with hose and screw connection













Filling device de luxe Height 15 cm | Ø 15 cm grey order no. 503015

grey order no. 503015 **brown** order no. 503014

- Downpipe sizes 70 100 mm (DN 70 | DN 100)
- 32 mm (1 1/4") side outlet, with hose and screw connection









Foliage guard


Height 35 cm | **Width** 11 cm | **Depth** 18 cm **grey** order no. 346013 **brown** order no. 346011

- Reliably traps leaves and large contaminants, preventing the downpipe from getting blocked
- Ideal in areas with a lot of leaves e.g. as pre-filter
- Self-cleaning and low-maintenance
- Convenient removal of screen area without having to dismantle the filter for cleaning or before frost period
- Can be easily switched from summer to winter use
- Downpipe sizes 70 100 mm (DN 70 | DN 100)









Quattro | Quattro Twist

Quattro Twist


Height 24,5 cm | Width 16 cm |

Depth 20 cm

brown order no. 503051 beige order no. 503052

- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90 %)
- With internal sieve
- Turnable 90°, patented
- 1" side outlet









Quattro

Height 11,9 cm | Width 10,3 cm |

Depth 13,3 cm

grey order no. 503060 brown order no. 503061 beige order no. 503062

- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90 %)
- 3/4" side outlet
- With internal sieve















Accessory

For water butts and overground water tanks



Design chrome tap 3/4"

This stylish chrome tap is suitable for all tanks of Modern line. Chrome polished, size 19 mm (3/4"), incl. teflon sealing tape. order no. 330254



Tap

A must for all stylish tanks! Suitable for all products of Classic and Exclusive Line, socket size 19 mm (3/4"), incl. teflon sealing tape

brass order no. 220011 **chrome** order no. 330282



Tap with tank screw

Connection for Herkules, top and garden tank, size 19 mm (3/4"), incl. teflon sealing tape.

brass order no. 330044



Tap for water butts

Water butt tap with sealing ring and lock nut, size 19 mm (3/4") order no. 504011




Aqua-Quick plastic tap

with brass finish, suited to all above-ground tanks and water butts, socket size 19 mm (3/4") order no. 504040



Aqua-Quick 4-part plastic tap kit

So that water can run faster! Plastic tap with brass finish in complete kit consisting of: tap with seal and screw connection, connecting pieces for standard hose fitting, hose 13 mm (1/2") and hose 19 mm (3/4"), union nuts and seals order no. 504044





Water butt connection kit

Kit for complete water extraction and water level display for above-ground rainwater storage tanks. Consisting of 2.15 m flexible hose, extraction tap and various connection options. Suited to all storage tanks.

order no. 220015

Accessory

For water butts and overground water tanks



Connection set Flex-Comfort

Extra-long and extremely flexible connection kit (40 cm) to connect rainwater tanks as well as Regendieb, Regendieb de luxe and Regendieb Pro. Includes extensive installation accessories.

Scope of supply:

Flexible 40 cm connection hose, core drill and hose connector; with 2 x connection fittings, inlet seals and hose clips.

grey order no. 220019 **brown** order no. 220020









Tap connection

With inside and outside thread, made of plastic, suitable for 19 mm (3/4) tap with outside thread and other taps. order no. 504025



Overflow bend

With hose connection

Size 32 mm (1 1/4") order no. 330041

Size 51 mm (2") order no. 330043



Child-proof lock | wind protection

For water butt cover (reusable), 4 items order no. 504016



Water butt connection kit

Consisting of two hose connections with lock nut and 25 cm hose.

Size	order no.
19 mm (3/4")	504017
19 mm (3/4") with drill	504018
32 mm (1 1/4")	330031
51 mm (2")	330040



Underground tanks by GRAF

Quality products, Innovative solutions



This is the slogan in times of ever increasing water prices. Rainwater harvesting systems from GRAF are the solution with which you can reduce your drinking water consumption by up to at least 50%. Thanks to up-to-date technology and complete systems, which meet all your need in terms of convenience and reliability.

Rainwater harvesting...

- Conserves ground water resources
- Reduces the energy consumption needed for the purification of drinking water
- Unburdens wastewater treatment plants and canal networks, since peak levels during strong rain falls can be extenuated or delayed.
 ...is ecologically sound.



Save water with your smartphone

- Calculate your annual savings.
- Receive useful tips regarding installation and maintenance.
- Receive an overview on the complete product range.









RAINWATER HARVESTING





WASTEWATER TREATMENT SOLUTION:





Prices

A price list with our export conditions is available on request.

Warranty clause:

The warranty mentioned in this brochure only refers to the tank in question and not to the accessories. Within the warranty period we grant free replacement of the material. Further benefits are excluded. Pre-condition for warranty benefits are proper handling, assembly and installation according to the mounting guidelines.

Over and above the statutory regulation, GRAF is lengthening the warranty period for a number of underground tanks. This relates to proper handling, assembly and installation in accordance with the installation manual, as well as leakproofness, usability and static safety. The prerequisites of this are competent assembly and operation in accordance with the requirements, namely the currently valid installation and operating instructions and the prevailing standards.

N.B. Protect tanks from frost when installed aboveground! In case of groundwater installation, please contact us for further information previous to the purchase!

For all indications of measurements in this brochure we reserve a tolerance of +/-3%. The useful volume of the tanks may be up to 10% lower than the tank capacity, according to the connecting option.

Technical modifications and further development of the different products are subject to change. Errors excepted.

For all our offers and conclusions of contract are only valid our General Terms and Conditions of Business dated 01/03/2010 which we will send to you on request.

Aura-Lite (M) Sdn Bhd (870909-A)

36-G, Jalan Putra Mahkota 7/6B, Putra Heights, 47650 Subang Jaya , Selangor, Malaysia.

Tel: +603-5192 9758 / +603 5191 9984 Fax: +603-5192 3410

Email: info@aura-lite.com.my Website: www.MalaysiaRainWaterHarvesting.com

Email: info@aura-lite.com.my Website: www.MalaysiaRainWaterHarvesting.co www.Aura-Lite.com.my



